



c) WRITING THE CODE WORDS OF THE 3rd SET


ATTEMPT 1 (13 IN 1, 14 IN 2, 15 IN 3): STORING 13, 14, 15b




ATTEMPT 2 (13 IN 2, 14 IN 3, 15 IN 4): STORING 13, 14




ATTEMPT 3 (13 IN 3, 14 IN 4): STORING 13, 14
 ATTEMPT 4 (13 IN 4, 14 IN 5): STORING 13, 14b



ATTEMPT 5 (13 IN 5, 14 IN 6): STORING 13



ATTEMPT 6 (13 IN 6)




ERROR- ROBUST DATA STREAM

Fig. 3A


c) EXTRACTING THE CODE WORDS OF THE 3rd SET

ATTEMPT 1 (SEARCHING 13 IN 1, 14 IN 2, 15 IN 3)




STORING 15a

ATTEMPT 2 (SEARCHING 13 IN 2, 14 IN 3, 15 IN 4)




ATTEMPT 3 (SEARCHING 13 IN 3, 14 IN 4)

ATTEMPT 4 (SEARCHING 13 IN 4, 14 IN 5)



STORING 14a

ATTEMPT 5 (SEARCHING 13 IN 5, 14 IN 6)



ATTEMPT 6 (SEARCHING 13 IN 6)

Fig. 4A